PROMO VALID: July 1 - September 30, 2025



MADE USA

Buy any ROTO-STAR 1 or ROTO-STAR 3 and get a **\$250 instant rebate** & **an American Flag** for your shop!

* All prices are suggested retail price. Actual selling price is determined by each FEIN Authorized Distributor at the time of sale. All prices and specifications are subject to change without notice. FREE Goods are Provided by the Distributor at time of Purchase

ROTO-STAR WELDING POSITIONERS

The Roto-Star weld positioners are designed to not only provide a stable work platform, but also allow for achieving cleaner, stronger welds.

ROTO-STAR 1

	СНИСК	FACEPLATE	
	ROTO-STAR I	ROTO-STAR I - P	
Chuck	6"	-	
Swing at 0°	16"	16"	
Vertical weight capacity	200 lbs.	200 lbs.	
Horizontal weight capacity	100 lbs.	100 lbs.	
Thru spindle part capacity	1 1/2" diameter	-	
Spindle Rotation	360°	360°	
Spindle speed	0 to 10 RPM	0 to 10 RPM	
Angle adjustment	0 to 90°	0 to 90°	
Grounding capacity	300A	300A	
Voltage	120v	120v	
Shipping weight	60 lbs.	45 lbs.	
Optional rotary plate	12" diameter	12" diameter	

- + Increase welding productivity and quality.
- + Available with chuck or plate.
- + Built-in variable speed. *Select Models
- + Forward, reverse 0-8 RPM (ROTO I)/ 0-10 RPM (ROTO 3).
- + 0°-90° Tilt at 15° increments at base.

ROTO-STAR ACCESSORIES



12" SURFACE PLATE Part Number: 31343710010



ROTO-STAR I PURGE PLUG Part Number: 31343710090



VARIABLE SPEED FOOT PEDAL W/CONTROL BOX Part Number: 31343751050

Part Number	Model	Description	Reg. Price	PROMO PRICE
31343690090	ROTO 1-P	Positioner w/plate, and foot pedal	\$3,699.95	\$3,449.95
31343790030	ROTO 1	Positioner w/chuck	\$3,799.95	\$3,549.95
31343790120	ROTO 1-P-V	Positioner w/plate, and variable speed foot pedal	<u>\$4,749.95</u>	\$4,499.95
31343790130	ROTO 1-V	Positioner w/chuck, and variable speed foot pedal	\$4,849.95	\$4,599.95







ROTO-STAR 3



Variable speed control box (included with Roto-Star I & III select models only)

	СНИСК	FACEPLATE	
	ROTO-STAR III	ROTO-STAR III - P	
Chuck	8"	-	
Swing at 0°	20"	20"	
Vertical weight capacity	250 lbs.	250 lbs.	
Horizontal weight capacity	150 lbs.	150 lbs.	
Thru spindle part capacity	2 ¹ /2" diameter	-	
Spindle Rotation	360°	360°	
Spindle speed	0 to 8 RPM	0 to 8 RPM	
Angle adjustment	0 to 90°	0 to 90°	
Grounding capacity	300A	300A	
Voltage	120v	120v	
Shipping weight	90 lbs.	65 lbs.	
Optional rotary plate	16" diameter	16" diameter	



Part Number	Model	Description	Reg. Price	PROMO PRICE
31343790210	ROTO 3-P	Positioner w/plate	<u>\$4.699.95</u>	\$4,449.95
31343790140	ROTO 3	Positioner w/chuck	<u>\$4,799.95</u>	\$4,549.95
31343790250	ROTO 3-P-V	Positioner w/plate, and variable speed foot pedal	\$5,749.95	\$5,499.95
31343790260	ROTO 3-V	Positioner w/chuck, and variable speed foot pedal	\$5,849.95	\$5,599.95



CHECK OUT THESE OTHER NEW! PRODUCTS FROM FEIN

THE NEW F IRON CUT 57 AS 18V 6" CORDLESS METAL CUTTING SAW

SELECT PART NUMBER: 71360461090 (TOOL ONLY) KIT PART NUMBER: 71360462090

NEW!

CONVENIENCE Compatible with the 18V AMPShare battery platform.

WORK SAFELY Integrated chip collection keeps your job site clean.

QUALITY Die cast aluminum

housing and guard.

18V F-IRON JIG 26 AS CORDLESS JIGSAW

SELECT PART NUMBER: 71360561090 (TOOL ONLY) **KIT PART NUMBER:** 71360562090



+ Four adjustable miter angles with positive stops at 0°, 15°, 30° and 45° degrees in both left and right positions.

+ Adjustable speed and orbital stroke settings, achieve perfect results across various materials + T-Shank Saw Blade Mount Stroke of Blade: 1^t Weight (w/o battery): 4.63 lb

Tool Mount: QuickIN T-Shank Saw Blade

18V AJMU 137 PMQW CORDLESS MAG DRILL

Mild Steel - 15/16" | Aluminum - 1-1/2" | Stainless Steel - 1/4"

PRECISE

Straight cuts are made simple with the provided quide rail adapter.

SELECT PART NUMBER: 71700562090 (TOOL ONLY) KIT PART NUMBER: 71700563090



+ Powerful and lightweight FEIN Power Drive brushless motor and FEIN HighPower battery + Permanent magnet

+ Universal functionality for drilling, tapping, reaming and countersinking

+ Coolant tank included Capacity: 1-3/8" x 2" Stroke length: 5-5/16"

Recommended Cutters: HSS/Carbide

Stroke range: 10-1/4 Weight (w/o battery): 26.7 lb

6" Saw Capacities

CONTACT YOUR LOCAL AUTHORIZED FEIN DEALER FOR PRICE & AVAILIBILITY